

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 11 | 726/1,11.ccls. and 713/176,179.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:35 |
| L2 | 1 | 726/11.ccls. and 713/176,179.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:36 |
| L3 | 0 | hash\$4 near10 packet\$4 near10 connection\$4 near10 table\$4 and 713/176,179.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:36 |
| L4 | 0 | hash\$4 near10 connection\$4 near10 table\$4 and 713/176,179.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:36 |
| L5 | 0 | index\$4 near10 connection\$4 near10 table\$4 and 713/176,179.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:37 |
| L6 | 19 | index\$4 near10 connection\$4 near10 table\$4 and "713"/\$.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:49 |
| L15 | 6 | table\$4 near10 hash\$4 same address\$4 and "713"/176,179.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:50 |
| L16 | 16 | table\$4 near10 hash\$4 same address\$4 and 726/1,11.ccls. and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 14:51 |
| L22 | 8 | hash\$4 near10 nAT near10 table\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:21 |



EAST Search History

| | | | | | | |
|-----|----------|---|---|----|-----|------------------|
| L23 | 1 | stateful near5 firewall\$4 same nAT near10 table\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:22 |
| L24 | 0 | stateful near5 firewall\$4 same translat\$4 near10 table\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:22 |
| L25 | 86 | firewall\$4 same translat\$4 near10 table\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:22 |
| L26 | 48 | firewall\$4 same translat\$4 near10 table\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:22 |
| L27 | 24376098 | firewall\$4 same translat\$4 near10 table\$4 and fragment\$6 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:22 |
| L28 | 21 | firewall\$4 same translat\$4 near10 table\$4 and fragment\$6 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 15:23 |
| L29 | 2 | "US 20030154399" | US-PGPUB; USPAT; USOCR; DERWENT | OR | OFF | 2007/04/19 16:12 |
| L30 | 7 | firewall\$4 same (defrag\$7 reassembl\$6) same (NAT translat\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/19 16:13 |
| S1 | 0 | firewall\$4 near10 reconstruct\$4 near10 fragment\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:25 |
| S32 | 1 | reassembl\$4 near10 packet\$4 near10 appl\$6 near10 firewall\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:12 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S33 | 0 | reassembl\$4 near10 packet\$4 near10 polic\$4 near10 firewall\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:12 |
| S34 | 8 | reassembl\$4 near10 packet\$4 near10 firewall\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:13 |
| S35 | 47 | reassembl\$4 near10 packet\$4 same firewall\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:14 |
| S36 | 28 | reassembl\$4 near10 packet\$4 same firewall\$4 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:14 |
| S37 | 27 | reassembl\$4 near10 packet\$4 same firewall\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:18 |
| S38 | 34 | "6219786" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:16 |
| S39 | 17 | assembl\$4 near10 packet\$4 same firewall\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:25 |
| S40 | 0 | hash\$4 near10 fragment\$6 near10 table\$4 near10 (connection\$4 firewall\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:25 |
| S41 | 1 | hash\$4 near10 fragment\$6 near10 (connection\$4 firewall\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:26 |
| S42 | 91 | hash\$4 near10 packet\$4 near10 (connection\$4 firewall\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:27 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S43 | 20 | hash\$4 same fragment\$4 same (connection\$4 firewall\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:56 |
| S44 | 57 | hash\$4 same fragment\$4 same packet\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:56 |
| S45 | 2 | hash\$4 same fragment\$4 same packet\$4 and @ad<"20030624" and 709/236.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 15:56 |
| S46 | 7 | hash\$4 with fragment\$4 same packet\$4 and @ad<"20030624" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 17:03 |
| S47 | 3 | hash\$4 with fragment\$4 same NAT and @ad<"20030624" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 17:07 |
| S48 | 77 | \$2assemb\$7 with fragment\$4 same NAT and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 17:07 |
| S49 | 10 | \$2assemb\$7 with fragment\$4 same NAT and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 17:10 |
| S50 | 0 | reassemb\$6 near10 (packet\$4 fragment\$4) near10 before near10 (rule\$4 polic\$6) and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 17:11 |
| S51 | 22 | reassemb\$6 near10 (packet\$4 fragment\$4) near10 (rule\$4 polic\$6) and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 17:11 |
| S52 | 7 | fragment\$4 near10 table\$4 near10 connection\$4 and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 18:13 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S53 | 0 | fragment\$4 near10 table\$4 near10 nat and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 18:09 |
| S54 | 5 | fragment\$4 near10 table\$4 near10 translat\$4 and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 18:09 |
| S55 | 325 | packet\$4 near10 table\$4 near10 connection\$4 and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 18:13 |
| S56 | 10 | packet\$4 near10 table\$4 near10 connection\$4 near10 firewall\$4 and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 18:14 |
| S57 | 6 | packet\$4 near10 table\$4 near10 connection\$4 same fragment\$4 and @ad<"20030624" and ("709".clas. "726".clas.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/06 18:15 |
| S58 | 0 | (reconstruct\$4 reassembl\$4) near10 fragment\$4 near10 (firewall\$4 gateway\$4) same (rule\$4 policy policies) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:26 |
| S59 | 6 | (reconstruct\$4 reassembl\$4) near10 packet\$4 near10 (firewall\$4 gateway\$4) same (rule\$4 policy policies) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:28 |
| S60 | 13 | (reconstruct\$4 reassembl\$4) near10 packet\$4 near10 (firewall\$4 gateway\$4) same (translat\$4 NAT) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:31 |
| S61 | 183 | (reconstruct\$4 reassembl\$4) near10 packet\$4 same (translat\$4 NAT) and @ad<"20030624" not S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:34 |
| S62 | 0 | (reconstruct\$4 reassembl\$4) near10 packet\$4 same (stateful near5 firewall\$4) and @ad<"20030624" not S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:34 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S63 | 6 | (reconstruct\$4 reassembl\$4) same (stateful near5 firewall\$4) and @ad<"20030624" not S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:35 |
| S64 | 2 | (reconstruct\$4 reassembl\$4fragment\$8) and (stateful adj firewall\$4) and @ad<"20030624" not S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:36 |
| S65 | 8 | (reconstruct\$4 reassembl\$4 fragment\$8) and (stateful adj firewall\$4) and @ad<"20030624" not S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:40 |
| S66 | 0 | (stateful adj firewall\$4) and @ad<"20030624" and 709/236.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:40 |
| S67 | 0 | (stateful adj firewall\$4) and (hash\$4 index\$4) same tuple\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:43 |
| S68 | 1 | (stateful adj firewall\$4) same (NAT (address\$4 network) near3 translat\$4) same (hash\$4 index\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:44 |
| S69 | 2147 | (NAT (address\$4 network) near3 translat\$4) same (hash\$4 index\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:44 |
| S70 | 468 | (NAT (address\$4 network) near3 translat\$4) same (hash\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:44 |
| S71 | 61 | (NAT (address\$4 network) near3 translat\$4) same (hash\$4) and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:45 |
| S72 | 2 | (NAT (address\$4 network) near3 translat\$4) same (hash\$4) same connection\$4 near3 table\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:47 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S73 | 2 | (NAT (address\$4 network) near3 translat\$4) same (hash\$4) same connection\$4 near3 table\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:46 |
| S74 | 5 | (NAT (address\$4 network) near3 translat\$4) same (hash\$4) same firewall\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:52 |
| S75 | 6 | "6449467" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:52 |
| S76 | 50 | "6449647" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:53 |
| S77 | 2 | "6449647".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 20:53 |
| S78 | 2 | "US 20030154399" | US-PGPUB; USPAT; USOCR; DERWENT | OR | OFF | 2007/04/11 21:00 |
| S79 | 3 | connection near3 table\$4 same (NAT address near3 translat\$4) near3 table\$4 same hash\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:02 |
| S80 | 33 | connection near3 table\$4 and (NAT address near3 translat\$4) near3 table\$4 and hash\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:02 |
| S81 | 17 | connection near3 table\$4 and (NAT address near3 translat\$4) near3 table\$4 and hash\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:05 |
| S82 | 59 | connection near3 table\$4 same hash\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:05 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S83 | 39239 | connection near3 table\$4 same hash\$4 and firewall\$4and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:05 |
| S84 | 11 | connection near3 table\$4 same hash\$4 and firewall\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:16 |
| S85 | 0 | cross adj link\$4 same CT same NT and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:16 |
| S86 | 10 | cross adj link\$4 same connect\$4 same NaT and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:17 |
| S87 | 40 | cross adj link\$4 same table\$4 same Translat\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:17 |
| S88 | 0 | cross adj link\$4 same table\$4 same Translat\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:18 |
| S89 | 0 | cross adj link\$4 same table\$4 same Translat\$4 and @ad<"20030624" and "726".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:18 |
| S90 | 117 | hash\$4 near10 (address\$4 near5 translat\$4) near10 table\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:21 |
| S91 | 91 | hash\$4 near10 (address\$4 near5 translat\$4) near10 table\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:21 |
| S92 | 8 | hash\$4 near10 (address\$4 near5 translat\$4) near10 table\$4 and @ad<"20030624" and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:22 |

EAST Search History

| | | | | | | |
|------|----|---|---|----|-----|------------------|
| S93 | 0 | hash\$4 near10 (address\$4 near5 transl\$4) near10 table\$4 and @ad<"20030624" and "726".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:23 |
| S94 | 6 | index\$4 near10 (address\$4 near5 transl\$4) near10 table\$4 and @ad<"20030624" and "726".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:34 |
| S95 | 0 | index\$4 near10 (NAT) near10 table\$4 and @ad<"20030624" and "726".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:35 |
| S96 | 1 | hash\$4 near10 (NAT) near10 table\$4 and @ad<"20030624" and "726".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:35 |
| S97 | 3 | hash\$4 near10 (NAT) near10 table\$4 and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:39 |
| S98 | 8 | hash\$4 near10 (NAT) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:50 |
| S99 | 23 | (state\$4 near5 firewall\$4) same (NAT) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:52 |
| S100 | 33 | firewall\$4 same (NAT near10 table\$4) and @ad<"20030624" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/04/11 21:52 |